

ZimVie US Corp LLC Patent Notice Pursuant to 35 U.S.C. § 287: These products and services listed below and sold by ZimVie US Corp LLC and its affiliates (including Biomet 3i, LLC) may be covered by one or more of the US patents listed below and their counterparts in other countries. The products, services and/or patents listed may not be a complete listing. Other ZimVie patent applications may be pending. The “xxx”, “xx”, or “x” suffix for an item number signifies that the item is sold in multiple sizes and each size is covered by the listed patent.

<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
3MANx	BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006</b>
3MATx	BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006</b>
BNESxxx	T3 with DCD Externally Hexed, Parallel-Walled Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>
BNETxxx	T3 with DCD Externally Hexed, Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>
BNPSxxx	T3 with DCD Parallel-Walled Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser’s use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i’s Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
BNPTxxx	T3 with DCD Tapered Implant	Multiple Sizes	<p>Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant-abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant-Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i></p>
BNSSxxx	T3 with DCD Non-Platform Switched Parallel-Walled Implant	Multiple Sizes	<p>Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant-Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i></p>

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
BNSTxxx	T3 with DCD Non-Platform Switched Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant-</i>
			<i>abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant-Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
BOESxxx	T3 Externally Hexed, Parallel-Walled Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>
BOETxxx	T3 Externally Hexed, Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
BOPSxxx	T3 Parallel-Walled Implant	Multiple Sizes	<p>Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i></p>
BOPTxxx	T3 Tapered Implant	Multiple Sizes	<p>Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i></p>
BOSSxxx	T3 Non-Platform Switched Parallel-Walled Implant	Multiple Sizes	<p>Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697;</b></p>

			<b>10,765,494; 11,015,253; Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</b>
<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
BOSSxxx	T3 Non-Platform Switched Parallel-Walled Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253; Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</b>

BOSTxxx	T3 Non-Platform Switched Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253; Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant-abutment system performance as genuine BIOMET 3i abutments and abutment
---------	------------------------------------------	----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
			screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant-Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.
EDA	BellaTek® Abutment		Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006
EDAN	BellaTek® TiN Abutment		Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006
EDAT	BellaTek® Titanium Abutment		Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006
EDAX	BellaTek® LAB DESIGNED ABUTMENT		Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006
EDAZ	BellaTek® ZIRCONIA ABUTMENT		Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006

EDAZX	BellaTek® LAB DESIGNED ZIRCONIA ABUTMENT		Covered by 1 or more of U.S. Pat. <b>7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006</b>
-------	------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
EHAXXX	BellaTek® Encode® Healing Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006</b> <i>Purchaser's use of the Encode® Healing Abutment is restricted. The Encode® Healing Abutment may be used for healing gingival tissue. However, the sale of the Encode® Healing Abutment does NOT confer any license right or other rights to use the patented scanning features and methods associated with the Encode® technology, such as those set forth in U.S. Pat. Nos. 7,661,956; 7,988,449; and 8,690,574. If Purchaser does not accept this restriction on use of the Encode® Healing Abutment, Purchaser may return it in the unopened package. Standard healing abutments are available.</i>
BIO	Encode® Model Patents		Covered by 1 or more of U.S. Pat. <b>7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006; 11,897,201; 11,896,459</b> <i>Purchaser's use of the Encode® Models is restricted. The Encode® Healing Abutment may be used for healing gingival tissue. However, the sale of the Encode® Healing Abutment does NOT confer any license right or other rights to use the patented scanning features and methods associated with the Encode® technology, such as those set forth in U.S. Pat. Nos. 7,661,956; 7,988,449; and 8,690,574. Newly issued patents added (11,897,201; 11,896,459, method for manufacturing dental implant components; and methods for placing an implant analog in a physical model of the patient's mouth)</i>
ETPXXX	OSSEOTITE® Tapered PREVAIL® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>

FNTxxx	Full OSSEOTITE® Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
FOSxxx and FOSMxxx	FULL OSSEOTITE® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
I3MANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
I3MATx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
I3MAZx	Certain® BellaTek® Zirconia Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
IABxxx	Certain® STANDARD ABUTMENT	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IACxxx	Certain® CONICAL ANGLED ABUTMENT	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IANx	BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006



IAPPxxx	Certain® GingiHue® Post	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IATx	BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,661,956; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 10,022,916; 10,307,227; 11,046,006
<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
ICAMxxx	Certain® ZiReal® Post	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
ICAPxxx	Certain® ZiReal® Post	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
ICAZxxx	ZiReal® Art Angled Ceramic Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
ICZxxx	ZiReal® Art Ceramic Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IEDANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006

IEDATx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
IEDAZx	Certain® BellaTek® Zirconia Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
IEHAxxx	Certain® BellaTek® Encode® HEALING ABUTMENT	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006 <i>Purchaser's use of the Encode® Healing Abutment is restricted. The Encode® Healing Abutment may be used for healing gingival tissue. However, the sale of the Encode® Healing Abutment does NOT confer any license rights or other rights to use the patented scanning features and methods associated with the Encode® technology, such as those set forth in U.S. Pat. Nos 7,661,956; 7,988,449; and 8,690,574. If Purchaser does not accept this restriction on use of the Encode® Healing Abutment, Purchaser may return it in the unopened package. Standard healing abutments are available.</i>

IFNTxxx	Full OSSEOTITE® Tapered Certain® Implant	Multiple Dimensions	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. <b>7,338,286, 7,484,959, and 8,636,511,</b> which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.
---------	------------------------------------------	---------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
IFOSxxx and IFOSMxxx	FULL OSSEOTITE® Certain® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. <b>7,338,286, 7,484,959, and 8,636,511,</b> which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.
IGUCA1C	Certain® UCLA GOLD HEXED ABUTMENT CYLINDER	4.1mm(D)	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201;</b>

			9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
IIATx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
IIAZx	Certain® BellaTek® Zirconia Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
IIIC12	Certain® Pick-Up Coping	4.1mm(D) X 5mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
IIIC41	Certain® Pick-Up Coping	4.1mm(D) X 4.1mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIIC44	Certain® Twist Lock™ Coping	4.1mm(D) X 4.1mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIIC45	Certain® Twist Lock™ Coping	4.1mm(D) X 5mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIIC46	Certain® Twist Lock™ Coping	4.1mm(D) X 6mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

IIC47	Certain® Twist Lock™ Coping	4.1mm(D) X 7.5mm(P)	8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIC60	Certain® Pick-Up Coping	4.1mm(D) X 6mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIC75	Certain® Pick-Up Coping	4.1mm(D) X 7.5mm(P)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IIOsxxx	Certain® PREVAIL® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253; <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
IITCS41	Certain® TEMPORARY HEXED CYLINDER		Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

IITPxxx	OSSEOTITE® Tapered Certain® PREVAIL® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253; Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which
---------	----------------------------------------------	----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
			<i>relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
ILDANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ILDATx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ILDZx	Certain® BellaTek® Zirconia Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ILDESNx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006

ILDESTx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ILDESZx	Certain® BellaTek® Zirconia Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ILPACxxx	Certain® Low Profile Angled Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
ILPCxxx	Certain® Low Profile Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMAPxxx	Certain® GingiHue® POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
IMICxxx	Certain® Pick-Up Coping	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMITxxx	Certain® Twist Lock™ Coping	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMMTCS1	Certain® TEMPORARY HEXED CYLINDER		Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

IMPAPxxx	Certain® GingiHue® ANGLED POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMPAPFxxx	Certain® PreFormance® Pre-Angled Post	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMPFPxxx	Certain® PreFormance® Post	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMPFTC34	Certain® PreFormance® Temporary		Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IMUCG1C	Certain® UCLA GOLD HEXED ABUTMENT CYLINDER	3.4mm(D)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
INTxxx	OSSEOTITE® Tapered Certain® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253; <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>



ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
IOSxxx, IOSMxxx IOSSxxx	OSSEOTITE XP® Certain® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
IPAxix	Certain® Provide® Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>
IPAPxxx	Certain® GingiHue® ANGLED POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>
IPAPFxxx	Certain® PreFormance ® ANGLED POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>
IPFPxxx	Certain® PreFormance ® POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b>

IPFTC41	Certain® PreFormance® Temporary Cylinder		Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
ISANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ISATx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ISAZx	Certain® BellaTek® Zirconia Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
ISC3 ISC4	BELLATEK® SCAN CAP	Multiple Sizes	8,882,508; 9,662,185

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
IWCAMxxx	Certain® ZiReal™ POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWCAPxxx	Certain® ZiReal® Post W/ZiReal® HEXED SCREWS	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWGA51C	Certain® UCLA GOLD HEXED ABUTMENT CYLINDER	5mm(D)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWGA61C	Certain® UCLA GOLD HEXED ABUTMENT CYLINDER	6mm(D)	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

IWIPxxx	Certain® Pick-Up Coping	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWITxxx	Certain® Twist Lock™ COPING	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWFPFxxx	Certain® PreFormance® POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWPF51 IWPF61	Certain® PreFormance® Temporary Cylinder	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWPPxxx	Certain® GingiHue® POST	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
IWTA51	Certain® UCLA Ti Cylinder	5mm	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
IWTC51 IWTC61	Certain® Temporary Hexed Cylinder	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
LDANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006

LDA Tx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
LDESNx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
LDESTx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006

<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
LTXxxx	LTX Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
MSGIIMxxx	NAVIGATOR® Certain® IMPLANT MOUNT	Multiple Sizes	8,777,612; 8,967,999; 9,011,146
MSGIAMxx	NAVIGATOR® IMPLANT ANALOG MOUNT	Multiple Sizes	8,777,612; 9,011,146

NIIOSxxx	NanoTite™ Certain® PREVAIL® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
NIITPxxx	NanoTite™ Tapered Certain® PREVAIL® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does</i>

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
			<i>NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant-Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
NINTxxx	NanoTite™ Tapered Certain® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;</b> Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. <b>7,338,286, 7,484,959, and 8,636,511,</b> which relate to BIOMET 3i's Certain Implant-Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.

NIOSMxxx and NIOSSxxx	NanoTite™ Certain® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253; <i>Purchaser's use of Certain® Implants is restricted. Certain Implants are to be used with genuine BIOMET 3i abutments and abutment screws. Because of variations in the design, manufacturing and quality control specifications, non-genuine abutments and abutment screws from third parties may not provide the same implant- abutment system performance as genuine BIOMET 3i abutments and abutment screws. The sale of a Certain Implant does NOT confer any rights to U.S. Patent Nos. 7,338,286, 7,484,959, and 8,636,511, which relate to BIOMET 3i's Certain Implant- Abutment technology. Such patents rights are only granted to Purchaser with the sale of a genuine BIOMET 3i Certain Abutment.</i>
--------------------------	-------------------------------	----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ITEM NUMBER	PRODUCT DESCRIPTION	DIMENSION	U.S. PATENT NUMBER
NNTxxx	NanoTite™ Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
NOSMxxx and NOSSxxx	NanoTite™ Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
NTxxx	OSSEOTITE® Tapered Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
NTPxxx	NanoTite™ Tapered PREVAIL® Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;

NXFOSxxx	OSSEOTITE® 2 Implant with DCD®	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
OSxxx, OSSxxx, OSMxxx	OSSEOTITE XP® Miniplant®	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;
SANx	Certain® BellaTek® TiN Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
SATx	Certain® BellaTek® Titanium Abutment	Multiple Sizes	Covered by 1 or more of U.S. Pat.: 7,661,956; 7,338,286; 7,484,959; 8,636,511; 8,011,925; 8,185,224; 8,257,083; 8,612,037; 8,690,574; 8,855,800; 8,998,614; 9,108,361; 9,549,793; 9,883,927; 9,931,182; 10,022,916; 10,307,227; 11,046,006
SC3 SC4	BELLATEK® SCAN CAP	Multiple Sizes	8,882,508; 9,662,185
SCNBAxx	LDA SCAN CAP	Multiple Sizes	8,882,508; 9,662,185
SCNBSxx	LDA SCAN CAP	Multiple Sizes	8,882,508; 9,662,185
SCSBLx	LDA SCAN CAP	Multiple Sizes	8,882,508; 9,662,185
<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
SGIIMxxx	NAVIGATOR® CERTAIN® IMPLANT MOUNT	Multiple Sizes	8,777,612; 8,967,999; 9,011,146; 11,207,153
SGIAMxx	NAVIGATOR® IMPLANT ANALOG MOUNT	Multiple Sizes	8,777,612; 9,011,146; 11,207,153
SGTIKIT SGTIKIT-A	TAPERED NAVIGATOR® CERTAIN® SURGICAL KIT		8,777,612; 8,967,999; 9,011,146; 11,207,153
SGTRAY	NAVIGATOR® SURGICAL TRAY		8,777,612; 8,967,999; 9,011,146; 11,207,153
SGTTRAY	TAPERED NAVIGATOR® SURGICAL TRAY		8,777,612; 8,967,999; 9,011,146; 11,207,153
XFOSxxx and XFOSMxxx	OSSEOTITE® 2 Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat. 7,338,286; 7,484,959; 7,771,774; 8,251,700; 8,486,483; 8,636,511; 8,641,418; 9,034,201; 9,283,056; 9,549,793; 9,757,212; 9,763,751; 9,883,927; 9,931,182; 10,182,887; 10,227,697; 10,765,494; 11,015,253;



ZimVie US Corp LLC Patent Notice Pursuant to 35 U.S.C. § 287: These products and services listed below and sold by ZimVie US Corp LLC and its affiliates (including Biomet 3i, LLC) may be covered by one or more of the US patents listed below and their counterparts in other countries. The products, services and/or patents listed may not be a complete listing. Other ZimVie patent applications may be pending. The “xxx”, “xx”, or “x” suffix for an item number signifies that the item is sold in multiple sizes and each size is covered by the listed patent.

***Legacy Zimmer Products***

<b>ITEM NUMBER</b>	<b>PRODUCT DESCRIPTION</b>	<b>DIMENSION</b>	<b>U.S. PATENT NUMBER</b>
CT3xxx	Eztetic Implant, Fully Textured with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>11,890,166</b>
CM3xxx	Eztetic Implant, Machined Collar with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>11,890,166</b>
TSXxxBxx	TSX Implant	TSX 3.1mm diameter x 8-16 mm length	Covered by 1 or more of U.S. Pat. <b>11,890,166</b>
TMTxxxx	Trabecular Metal Implant, Fully Textured with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>8,899,982; 9,901,424</b>
TMMxxxx	Trabecular Metal Implant, Machined Collar with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat. <b>8,899,982; 9,901,424</b>
TMTxxxx	Trabecular Metal Implant, Fully Textured with Microgrooves	4.1 – 6mm diameter x 10-16mm length	Covered by 1 or more of U.S. Pat. <b>8,899,981</b>
TMMxxxx	Trabecular Metal Implant, Machined Collar with Microgrooves	4.1 – 6mm diameter x 10-16mm length	Covered by 1 or more of U.S. Pat. <b>8,899,981</b>
TSVxBxx & TSVxHxx	Tapered Screw Vent Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
TSVTxBxx & TSVTxHxx	Tapered Screw Vent Implant, Fully Textured with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
TSVMxBxx & TSVMxHxx	Tapered Screw Vent Implant, Machined Collar and Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
CT3xxx	Eztetic Implant, Fully Textured with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
CM3xxx	Eztetic Implant, Machined Collar with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>

TMTxxxx	Trabecular Metal Implant, Fully Textured with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
TMMxxxx	Trabecular Metal Implant, Machined Collar with Microgrooves	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
TSXxxBxx	TSX Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
SPxxxx	Tapered Swiss Plus Implant	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>7,451,870</b>
TSVBLKx, TSVKITx,  STRKITx,  TSVTRAYx,  TSVTRAYDx	TSV Surgical Staging Block and Kits containing it	N/A	Covered by 1 or more of U.S. Pat <b>8,342,841</b>
ZOAXxxx, CANPxxx	Hex-Lock Contour Abutments, Straight and Angled.	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>8,506,296; 8,430,668</b>
ZRAXxxx	Hex-Lock Contour Zirconia Abutments, Straight and Angled.	Multiple Sizes	Covered by 1 or more of U.S. Pat <b>8,439,680</b>