




Restoring Quality of Life

Dental Implants

Single-Tooth Replacement



Dental implants are used to replace missing teeth that have fallen out or have been extracted.



The implant is traditionally left to heal in the jawbone for a period of a few weeks to a few months, allowing the bone to be firmly fixed to the implant.



Once stable, a metallic post known as an abutment, is used to screw the restoration onto the implant.



Once complete, a restored implant can look and function like a real tooth.


To find out if implants are a solution for you, ask your doctor to evaluate you today.




Restoring Quality of Life

Dental Implants


Multiple-Tooth Replacement




The multiple-tooth restoration is used when two or more adjacent teeth are missing.




Implants are placed at the site of each missing tooth.




Implants will be left to heal for a few weeks to several months, depending on the quality of the bone.



Following healing, titanium posts are screwed into the implant bodies.



Restorations are then attached to the abutments with dental cement or screws.



The replacement tooth, or crown, is cemented or screwed onto the implant, creating an aesthetic and functional restoration.

To find out if implants are a solution for you, ask your doctor to evaluate you today.



Restoring Quality of Life

Dental Implants

Fixed-Detachable Full-Arch Restoration



A fixed-detachable full-arch restoration is used when all teeth are missing in the upper or lower jaw. In this procedure, multiple implants are placed.



A custom fixed-detachable full-arch restoration is seated directly onto the implants.



Using small screws, the restoration is then secured to the implant. This keeps the restoration stable and stationary, while enabling your dental practitioner to remove it should the need arise, or for cleaning.



Final restoration of the fixed-detachable full-arch.

To find out if implants are a solution for you, ask your doctor to evaluate you today.